

7.5 DAYS pc BLOOD ISLANDS

Fig. 2A




7.5 DAYS pc BLOOD ISLANDS

Fig. 2B



7.5 DAYS pc BLOOD ISLANDS

Fig. 2C



8.5 DAYS pc VASCULAR CHANNELS Fig. 2D



8.5 DAYS pc VASCULAR CHANNELS Fig. 2E



12.5 DAYS pc VITELLINE CIRCULATION Fig. 2F








Fig. 3B




Fig. 3C



Fig. 3D








Fig. 5



















Fig. 7-2B









Fig. 7-2E



8/20







Fig. 8-1B










Fig. 8-2




Copied from 09021600 on 21-10-2003


























Fig. 14A




Fig. 14B





Fig. 14C



Copied from 09021600 on 21-10-2003






Fig. 14E





Fig. 14F




16/20





17/20








Fig. 16-2






Fig. 16-3



RESCUE OF NULL MUTANT PHENOTYPE BY BMP-4

	# Containing Hemoglobin	TOTAL # EBs	PERCENT HEMOGLOBINIZED
WT PARENTAL	225	260	86.5
MUTANT (- BMP-4)	2	50	4.0
MUTANT (+ BMP-4)	42	72	58.5




Fig. 17